




Terminals & Splices > Special Purpose Terminals



Special Purpose Terminal Type: **Grounding Clip**

Wire Size: **.3 – .79 mm²**

Terminal Material Thickness: **.51 mm [.02 in]**

Terminal Plating Material: **Tin**

Features

Product Type Features

Wire Insulation Support Retention Type	Non-Insulation Support
Sealable	No

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Contact Features

Barrel Type	Open
Special Purpose Terminal Type	Grounding Clip
Terminal Plating Material	Tin
Terminal Orientation	Flag

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	.3 – .79 mm ²
Terminal Material Thickness	.51 mm[.02 in]
Product Length	15.75 mm[.62 in]



Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]

Packaging Features

Packaging Quantity	10000
Packaging Method	Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts






TE Part # 63575-1
GROUND CLIP 14-18AWG ST




TE Part # 1986548-1
GROUND CLIP 2X18AWG TPST



TE Part # 4150001-1
OCEAN-2.0-APPLICATOR-E-090F-REM



TE Part # 4150001-2
OCEAN-2.0-APPLICATOR-E-090FA



KIT
TE Part # 7-4150001-7
OCEAN_2.0_SPARE_PART_KIT-090F



TE Part # 7-4150001-1
OCEAN-2.0-APPLICATOR-E-090F



TE Part # 7-4150001-2
OCEAN-2.0-APPLICATOR-E-090FA

Customers Also Bought



TE Part #321035
PIDG 26-22 SPADE #4 STUD



TE Part #3-1437664-0
NC6-P108-02=NC6 ASSEMBLY



TE Part #130550
SOLIS 8 R M6



TE Part #40724
RING 164(4.17 MM) TERMINAL18-14 AWG TPBR



TE Part #3-1437664-3
NC6-P108-04=7180XX002/30



TE Part #6465212003
DWP-125-1/2-0-STK



TE Part #444386-000
22759/34-24-2



TE Part #322649-000
22759/34-24-8



TE Part #695179-000
B-023-02

Documents



Product Drawings

GROUND CLIP 18-22AWG TPPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_63733-3_L.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_63733-3_L.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_63733-3_L.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English