



Relays & Contactors > Relays > High Voltage Relays



Contact Voltage Rating: 12 – 900 VDC
Contact Arrangement: 1 Form X, SPST-NO
High Voltage Connection (Coil): Flying Leads
High Voltage Connection (Power): Stud Terminals
Power Switching: Yes

Features

Product Type Features

Relay Connection Type	Terminals
Terminal Configuration	Stud Terminals
RF Rated	No

Configuration Features

Power Switching	Yes
-----------------	-----

Electrical Characteristics

Contact Voltage Rating	12 – 900 VDC
Coil Voltage (Max)	900 VDC

Contact Features

Contact Base Material	Copper
Contact Arrangement	1 Form X, SPST-NO
Contact Current Rating (Max)	500 A

Termination Features

High Voltage Connection (Coil)	Flying Leads
High Voltage Connection (Power)	Stud Terminals

Mechanical Attachment

Product Mounting Feature Type	Flange with Mounting Holes
Product Mount Type	Chassis



Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Hand solderable with lead free solder

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # 1618002-7
EV200AAANA=RELAY, EV200 SPST-N



TE Part # 8-1618404-5
EV200DAANA=CONTACTOR, SPST-NC

Also in the Series | Kilovac EV200



Definite Purpose Contactors(1)



High Voltage Relays(17)


Customers Also Bought



TE Part #206425-1
17-3 RECPT. REV SEX



TE Part #206430-1
RECPT, SZ 11-4, CPC




TE Part #174657-2
10 POS. CAP MK II +




TE Part #3-1630024-1
HSC250 330R 5%



TE Part #3-1564416-1
8POS,TAB 1.6X0.6,TAB HSG,ASSY




TE Part #5206514-1
SLIDING LOCK POST KIT



TE Part #205090-1
HD 20 SOCKET CONTACT



TE Part #1-66740-1
TYPE XII FEMALE CONT (STRIP)



TE Part #CW2896-000
R85049/88-15W02



TE Part #11105349-00
100 PSI, 7/16-20UNFM, 0.5-4.5V
ratiometr

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1618002-5_K.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1618002-5_K.3d_igs.zip



English

Customer View Model

[ENG_CVM_CVM_1618002-5_K.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[5-1773450-5_sec7_EV200A](#)

English